

Feature	PT1050	KY1100	KY1150
Appearance	White micro granules	White sequins	Off-white/Beige sequins
Density (gr/dm <sup>3</sup> , 200C)	500 ± 25	400 ± 25	400 ± 25
Density (gr/dm <sup>3</sup> ,1200C)	930 ± 20	930 ± 20	930 ± 20
Melting Point( OC )	97 -107	95 - 107	90 - 105
Viskosite cps, 1300C, Brookfield	15 ± 5	35 ± 10	50 ± 10
Ash % (at 750oC)	0,01	0,01	0,05
Vicat Penetrasyon Test (at 25 OC)	2,5 ± 0,5	3,0 ± 0,5	7,0 ± 1,0